

 unitreedoor

www.unitreedoor.com

PRODUCT CATALOGUE

DOOR SPECIALIST

DOOR FOR EVERYONE



Table Of Contents

Company Profile	3
Door	9
Engineering Door	9
Flush Door	11
HPL Door	13
Solid Door.....	15
Component	17
Barecore	17
Moulding Profile	18
Finger Joint Laminating	19
Wood Selections	20
Gallery Project	21
Certificate	23



UNITREE

by TRIJAYA SUMBER SEMESTA

A global wood industry, PT. Trijaya Sumber Semesta specializes in doors with brand product Unitree. Built and customized to meet your full specifications in terms both size and finish

ADDRESS

Pakisaji, Candibinangun, Pakem, Sleman,
Daerah Istimewa Yogyakarta, 55582, Indonesia

EMAIL

marketing@trijayasumbersemesta.com

PHONE

+62274-2873888

WHATSAPP

+6282115005757

COMPANY PROFILE



UNITREE by TRIJAYA SUMBER SEMESTA

PT. Trijaya Sumber Semesta is Global Wood Industry which is engaged in Door Specialist. Established in 2017, PT. Trijaya Sumber Semesta is located in Sleman, Yogyakarta, Indonesia.

Our main products are Wooden Door-Engineering Door Specialist, the doors are made from high quality timber and crafted by highly skilled woodworkers so that makes the door with good quality. Our product shipped to China, Singapore, Malaysia, Australia, Egypt, UAE, Somalia, Djibouti and many others countries.



We hold on "Professional and Kinship" as our base value, we believe that discipline, respect, and sharing are the keys to achieve our goals.



Our products can be customized in various sizes and customized in various types of finishing such as HPL, Venner, PVC Deco Sheet, Melamine or PU.


Made from high quality timber and crafted by highly skilled wood workers. Also have been made and selected with premium quality, affordable price, and ready to send to domestic and worldwide market. And our products can be reached only starting at \$35.

We care about Go Green product, Moisture Content (MC), Vacuumed materials and Legality for better forrest management and market transformation.

COMPANY PROFILE

GO GREEN

Using locally sourced, Albasia wood can reduce our dependence on natural forests which can contribute to global warming due to the short harvest period of Albasia and cultivated easily. Using Albasia wood is a great way to promote Go Green.



albasia forest

VACUUM

To get quality wood, we use a vacuum machine to maintain the durability of the wood from termite and bacteria, so the wood ready to be used.



vacuum machine

MOISTURE CONTENT

Our wood goes through Kiln Dry process to ensure all wood meets the standard requirement of 8-12% moisture content.



moisture content checking

LEGALITY

FSC® Certified, for better forest management and market transformation, we have certified FSC for sustainable use



FSC logo

COMPANY PROFILE

TECHNOLOGY

Our products have been processed using technology, from basic machines to main machines. Such as vacuum, kiln dry, veneer slicer, hot press etc. Well developed and efficient, including professional team using design software for the maximum result.





266-LVLK-022-IDN



The mark of
responsible forestry
**Contact us for FSC
certified products**

SCAN FOR MORE INFO



✉ marketing@trijayasumbersemesta.com

☎ +62274-287-3888

📞 +62821-1500-5757

📷 [unitreedor](#)

ENGINEERING DOOR


Robust and available with or without finishing options. Making it easier for you to order products that suit your needs and preferences.

Specifications

Frame	Finger Joint laminating
Thickness :	Custom made thicknesses available
Size :	Custom made size available
Quality :	Visual Quality Standards
Moisture Content	10 - 12 %
Weight :	25 - 30 kg / unit
Cover Types	• Veneer

Structures

Built and customized to meet your full specifications in terms both size and finish



ENGINEERING DOOR

ENGINEERING DOOR



FLUSH DOOR


Robust and available with or without finishing options. Making it easier for you to order products that suit your needs and preferences.

Specifications

Frame	Finger joint laminating
Thickness :	Custom made thicknesses available
Size :	Custom made size available
Quality :	Visual Quality Standards
Moisture Content	10 - 12 %
Weight :	20 - 25 kg / unit
Cover Types	<ul style="list-style-type: none">• High Moisture Resistant (HMR): highest grade, water resistant, heat resistant, etc• Plywood


Structures

Built and customized to meet your full specifications in terms both size and finish



FLUSH DOOR

FLUSH DOOR



HPL DOOR


Robust and available with or without finishing options. Making it easier for you to order products that suit your needs and preferences.

Specifications

Frame	Finger joint laminating
Thickness :	Custom made thicknesses available
Size :	Custom made size available
Quality :	Visual Quality Standards
Moisture Content	10 - 12 %
Weight :	20 - 25 kg / unit
Cover Types	<ul style="list-style-type: none">• High Moisture Resistant (HMR): highest grade, water resistant, heat resistant, etc• Plywood


Structures

Built and customized to meet your full specifications in terms both size and finish



HPL DOOR

HPL DOOR



SOLID DOOR

Robust and available with or without finishing options. Making it easier for you to order products that suit your needs and preferences.

Specifications


Frame	Solid wood
Thickness :	Custom made thicknesses available
Size :	Custom made size available
Quality :	Visual Quality Standards
Moisture Content	10 - 12 %
Weight :	20 - 25 kg / unit

Structures

Built and customized to meet your full specifications in terms both size and finish


Solid Wood Frame

Solid Wood Panel



SOLID DOOR

SOLID DOOR



COMPONENT

BARECORE

Specifications

Thickness : Custom made thicknesses available

Board Size : Custom made size available

Quality : Visual Quality Standards

THREE LAYER



Three Layers
Albasia

BARECORE



Barecore
Albasia

DOOR CORE WITH LIPPING



3 Layers Albasia Core
with Mahogany Lipping

DOOR CORE WITH HMR/MDF



3 Layers Albasia Core
with MDF/HMR

MOULDING PROFILE

Specifications

Thickness : Custom made thicknesses available

Board Size : Custom made size available

Quality : Visual Quality Standards

DOOR JAMB



SOLID DURIAN
DOOR JAMB

MOULDING



MIX WOOD
MOULDING PROFILE

ARCHITRAVE



SOLID DURIAN
ARCHITRAVE

WALL PANEL



ENGINEERING
WALL PANEL

S4S/E2E/E4E



MIX WOOD
E2E & S4S

FLOORING



ENGINEERING
FLOORING & DECKING

FINGER JOINT LAMINATING

Specifications

Thickness : Custom made thicknesses available

Board Size : Custom made size available

Quality : Visual Quality Standards

FINGER JOINT LAMINATING BLOCK



3 Layers Mix Java Finger Joint Laminating & Block

FINGER JOINT LAMINATING



Mix Java Finger Joint Board

FINGER JOINT STICK



Albasia Finger Joint Stick



Customized



Precise Dimension



100% Real Wood




Stable Dimension



MAHONI

Sapwood yellow, tinged with red, merging into pink brown or red brown heartwood. Texture fine, even



PINUS

The heartwood colour is pale yellow, with clearly defined growth rings. It is straight grained, with a fine, even texture.



ALBASIA

Heartwood whitish to pale pinkish, yellowish or reddish brown. Not clearly demarcated from sapwood in young trees, in old trees more clearly. Moderately coarse but even texture.



DURIAN

Heartwood is pink brown, grey brown, brown with a red tinge or light orange brown. Grain is straight to slightly interlocked. Texture is moderately coarse



MERANTI

Heartwood is pale to mid red-brown. Sapwood yellow, pink or grey and usually distinguishable. Texture coarse but even. Grain interlocked, usually giving a ribbon or strip figure to the radial surface.




BENKIRAI

Smooth to slightly coarse texture. The fibers are straight or interlocked. The wood surface is glossy, smooth or alternately smooth and rough due to the interlocking fibers.



SUNGKAI

It is known for its unique texture, durability and strength. Sungkai is also known for its resistance and shine, the wood texture is fairly smooth, beautiful fiber and pale yellow



MERBAU

Heartwood is pink brown, grey brown, brown with a red tinge or light orange brown. Grain is straight to slightly interlocked. Texture is moderately coarse

GALLERY PROJECT




Vertical Stripe Door,
Yogyakarta, ID



Full Panel Rised Moulding,
Somalia



Full Panel Door,
Jakarta, ID



Napoleon 4P Door,
Somalia



Engineering Tile Door,
Somalia



FJL Door,
Jakarta, ID



Crown Lite Door,
United State



6 Lite Door,
Australia



3 Lite Door,
Netherland



Flat Door,
Netherland



Engineering 3P Door,
Netherland



Door Core Lipping,
Singapore



Regal 4P Door,
Djibouti



Regal 3P Door,
Somalia



Carolina 6P Door,
Somalia



Veneer Door,
Jakarta, ID



HPL Door,
Jakarta, ID



Flush Door,
Jakarta, ID

CERTIFICATE



The mark of
responsible forestry
Contact us for FSC
certified products



266-LVLK-022-IDN

standard(s) has been confirmed for:

Trijaya Sumber Semesta, PT.

Jl. Pakem Turi Baratan RT 001 RW 013, Pakem, Sleman, ID-YO 55582, Indonesia

This single site certificate covers the production of solid wood boards, finger joint wood, solid wood board, doors and door frame products using the transfer system.

The facility(s) are hereby Chain of Custody certified to sell products as:

FSC 100%

The assessment has been conducted by SCS Global Services in accordance with the protocols of the Forest Stewardship Council® A.C. (FSC®).

FSC Standard: FSC-STD-40-004

Certificate Code: SCS-COC-009091

Trademark License Code: FSC-C177492

Valid from: 15 June 2022 Expiry date: 14 June 2027

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified (or FSC Controlled Wood where applicable). Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on sales and delivery documents. The scope of this certificate is considered accurate on the date of issuance. The current validity and scope, including the full list of products, shall be verified on <http://info.fsc.org>. The certificate shall remain the property of SCS, and this certificate and all copies or reproductions of this certificate shall be returned to SCS immediately upon request. Where a certificate covers more than one site, the covered products and processes/activities are performed by the network of Participating Sites, and not necessarily by each of them.



The mark of
responsible forestry



SCSglobal
SERVICES

Maggie Schwartz, Managing Director, Forestry Services
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Printed: 15 Jun, 2022



SERTIFIKAT CERTIFICATE

Sertifikat ini menyatakan bahwa / This is to certify that :

PT TRIJAYA SUMBER SEMESTA

- Jl. Wijaya Kusuma No. 310 B, Jombor Kidul, Sinduadi, Kecamatan Mlati, Kabupaten Sleman, Provinsi Daerah Istimewa Yogyakarta (*Office Address*)
- Jl. Pakem Turi, Dusun Baratan, Kelurahan Candibinangun, Kecamatan Pakem, Kabupaten Sleman, Provinsi Daerah Istimewa Yogyakarta (*Factory Address*)

Telah diaudit dan memenuhi persyaratan dari skema Sistem Verifikasi Legalitas Kayu sebagaimana ditetapkan dalam Keputusan Direktur Jenderal Pengelolaan Hutan Produksi Lestari Nomor: **SK.62/PHPL/SET.5/KUM.1/12/2020** tanggal 2 Desember 2020 tentang Pedoman, Standard dan/atau Tatacara Penilaian Kinerja Pengelolaan Hutan Produksi Lestari, Verifikasi Legalitas Kayu, Uji Kelayakan dan Penerbitan Deklarasi Kesesuaian Pemasok, Serta Penerbitan Dokumen V-Legal/Lisensi FLEGT, Lampiran 4.3. **Standar Verifikasi Legalitas Kayu pada Pemegang IUI**

*Has been audited and found to meet the requirements of Timber Legality Assurance System as stipulated in Director General Decree of Sustainable Production Forest Management Number: **SK.62/PHPL/SET.5/KUM.1/12/2020** dated December 02nd, 2020 concerning Guidelines, Standards, and/ or Procedures on Assessment of Performance of Sustainable Forest Management, Timber Legality Verification, Due Diligence and Issuance of Supplier Conformity Declarations, and Issuance of V-Legal Documents/ FLEGT Licences, Appendix 4.3. Standard of Timber Legality Assurance System for Holders of IUI*

Jenis Sertifikasi / Type of Certification:
Sertifikasi Tunggal / Individual Certification

Ruang Lingkup / Scope of Organization:
IUI Skala Menengah / Holders of IUI Medium-Scale

Izin Usaha / Permit:
Pemerintah Republik Indonesia c.q. Lembaga Pengelola dan Penyelenggara OSS dengan Nomor Induk Berusaha (NIB) 9120208292905 tanggal 20 Maret 2019

Produk dan Kapasitas / Product and Capacity:
Terlampir / Enclosed

Hendy Saputra
Direktur Utama
(President Director)



Certificate Number : TRIC-IDN-TL-266
Initial Registration : April 29th 2019
Latest Issued Date : March 16th 2021
Valid Until : April 28th 2025
Issued number : 03rd

Sertifikat ini akan tetap berlaku apabila pemegang sertifikat selalu memenuhi kriteria sebagaimana yang tercantum dalam Syarat dan Ketentuan yang ditetapkan oleh TRIC. Sertifikat ini milik TRIC dan harus dikembalikan jika diminta.
This certificate is valid provided that the certificate holder continues to meet the criteria as laid down in Terms and Condition by TRIC. This certificate remains the property of TRIC and shall be returned upon request.

TROPICAL RAINFOREST INTERNATIONAL CERTIFICATION (TRIC)
PT. TRIFOS INTERNASIONAL SERTIFIKASI
Jl. Anthurium No. 01 Banjarsari RT 05 RW 12, Sukoharjo, Ngaglik, Sleman, Yogyakarta
Telpon : +62 274 287 4179 | email : info@tric-indonesia.com
tric-indonesia.com | TricIndonesia | tric_online | TRIC Indonesia



UNITREE
by TRIJAYA SUMBER SEMESTA

DOOR SPECIALIST
www.unitreedoor.com